

Harbor Generating Station
R4-2003-0101

Information to be put into CDF Tool:

M-001

Flow	1 / Day	MGD
pH	1 / Day	SU
pH	1 / Day	SU
Temperature	1 / Day	Degrees F
Chlorine, Total Residual	1 / Day	mg/L
Chlorine, Total Residual	1 / Day	lb/day
Chlorine, Free Available	1 / Day	mg/L
Chlorine, Free Available	1 / Day	lb/day
Oil and Grease	1 / Month	mg/L
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	1 / Month	mg/L
Total Suspended Solids (TSS)	1 / Month	mg/L

M-INT

Flow	1 / Week	GPD
pH	1 / Week	SU
Oil and Grease	1 / Week	mg/L
Oil and Grease	1 / Week	lb/day
Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)	1 / Week	mg/L
Total Suspended Solids (TSS)	1 / Week	mg/L
Total Suspended Solids (TSS)	1 / Week	lb/day
Oil and Grease	1 / Week	mg/L
Oil and Grease	1 / Week	lb/day
Total Suspended Solids (TSS)	1 / Week	mg/L
Total Suspended Solids (TSS)	1 / Week	lb/day

Narrative:

N/A

Pre-Calculated:

N/A

Raw Data:

N/A